















数码电子 SL_GF品牌

















GOLF高尔夫品牌移动电源















产品型号	产品图片	包装图片	产品参数		颜色	产品特点	尚礼价格	市场价	装箱规格
L106 自带线移动电源			电芯规格	聚合物电芯	黑色 白色	自带四线：USB输入、MICRO+苹果+TYPE-C输出	RM36	RM72	20/小箱 80/大箱
			电芯数量	1					
			容量	10000mAh (实际)					
			micro/Cable输入	DC5V 2.1A					
			USB输出	DC5V 2.1A					
			Cable输出	DC5V 2.1A					
			净重	230g					
			产品尺寸	67.4*145*20mm					
L206 自带线移动电源			电芯规格	聚合物电芯	黑色 白色	自带四线：USB输入、MICRO+苹果+TYPE-C输出	RM58	RM116	15/小箱 45/大箱
			电芯数量	2					
			容量	20000mAh (实际)					
			micro/Cable输入	DC5V 2.1A					
			USB输出	DC5V 2.1A					
			Cable输出	DC5V 2.1A					
			净重	410g					
			产品尺寸	67.6*146.5*32.4mm					
G92PD 移动电源			电芯规格	聚合物电芯	黑色 白色	PD+QC 20W快充	RM40	RM80	20/小箱 80/大箱
			电芯数量	1					
			容量	10000mAh (实际)					
			micro输入	DC5V 3A, 9V/2A, 12V/1.5A					
			Type-C输入	DC5V 3A, 9V/2A, 12V/1.5A					
			Type-C输出	DC5V 3A, 9V/2.22A, 12V/1.66A					
			USB输出1	DC5V 3A, 9V/2A, 12V/1.5A					
			USB输出2	DC5V 3A, 9V/2A, 12V/1.5A					
净重	227g								
产品尺寸	68*17*149mm								
G93PD 移动电源			电芯规格	聚合物电芯	黑色 白色	PD+QC 20W快充	RM60	RM120	18/小箱 36/大箱
			电芯数量	2					
			容量	20000mAh (实际)					
			micro输入	DC5V 3A, 9V/2A, 12V/1.5A					
			Type-C输入	DC5V 3A, 9V/2A, 12V/1.5A					
			Type-C输出	DC5V 3A, 9V/2.22A, 12V/1.66A					
			USB输出1	DC5V 3A, 9V/2A, 12V/1.5A					
			USB输出2	DC5V 3A, 9V/2A, 12V/1.5A					
净重	227g								
产品尺寸	68*29.5*151mm								
G95-C 移动电源			电芯规格	聚合物电芯	黑色 白色	Type-C 输入输出	RM22	RM44	20/小箱 80/大箱
			电芯数量	1					
			容量	5000mAh (实际)					
			micro输入	DC5V/2.1A					
			Type-C输入	DC5V/2.1A					
			Type-C输出	DC5V/2.1A					
			USB输出1	DC5V/1A					
			USB输出2	DC5V/2.1A					
净重	119g								
产品尺寸	63.5*14.5*95.5mm								
G96-C 移动电源			电芯规格	聚合物电芯	黑色 白色	Type-C 输入输出	RM34	RM68	20/小箱 80/大箱
			电芯数量	2					
			容量	10000mAh (实际)					
			micro输入	DC5V/2.1A					
			Type-C输入	DC5V/2.1A					
			Type-C输出	DC5V/2.1A					
			USB输出1	DC5V/1A					
			USB输出2	DC5V/2.1A					
净重	223g								
产品尺寸	63.5*26*95.5mm								













G80移动电源			电芯规格	聚合物电芯	黑色 白色	1.实际容量: 10000mAh 2.极致低价爆款产品。	RM30	RM60	20/小箱 80/大箱
			电芯数量	1					
			容量	10000mAh (实际)					
			micro输入	DC5V/2.1A					
			USB输出1	DC5V/1A					
			USB输出2	DC5V/2.1A					
			净重	215.6g					
			产品尺寸	68*16*135mm					
			电芯规格	聚合物电芯					
G81移动电源			电芯数量	2	黑色 白色	1.实际容量: 20000mAh 2.极致低价爆款产品。	RM54	RM108	20/小箱 40/大箱
			容量	20000mAh (实际)					
			micro输入	DC5V/2.1A					
			USB输出1	DC5V/1A					
			USB输出2	DC5V/2.1A					
			净重	375g					
			产品尺寸	68*28*136.5mm					
			电芯规格	聚合物电芯					
			W21 PD+QC 18W 无线充移动电源						
电芯数量	1								
容量	10000mAh (实际)								
micro输入	DC5V 3A, 9V/2A,12V/1.5A								
Type-C输入	DC5V 3A, 9V/2A,12V/1.5A								
Type-C输出	DC5V 3A, 9V/2A,12V/1.5A								
QC USB输出	DC5V 3A, 9V/2A,12V/1.5A								
无线输出	10W								
净重	210g								
产品尺寸	68*17*149mm								

备注: 以上报价不含税及运费。更新于2023年03月01日













GOLF高尔夫品牌数据线

产品型号	颜色	产品图片	包装图片	产品功能	尚礼价格	市场价	装箱规格
GC-98M Micro	白色			6A 120W超闪快充, PVC材质 OD 6.0 结实耐用	RM4	RM7	45/小箱 360/大箱
GC-98i iPhone					RM5	RM9	
GC-98T Type-C					RM5	RM9	
GC-85 一托三PVC充电线	白色			micro/lightning/type-c三合一, 同时满足三台设备充电	RM4	RM8	40/小箱 320/大箱
GC-86 一托三金属编织充电线	黑色			micro/lightning/type-c三合一, 同时满足三台设备充电	RM6	RM11	40/小箱 320/大箱
GC-71P PD 苹果编织快充线	藏青色			1.适配苹果20W PD快充 2.铝合金一体成型编织线 3.加强尼龙编织线材, 强韧耐用 4.高纯度无氧铜线芯, 传导性更佳	RM9	RM18	40/小箱3 20/大箱
GC-81P PD 苹果快充线	白色			1.适配苹果20W PD快充 2.一体成型、耐弯折TPE材质。 3.高纯度无氧铜线芯, 传导性更佳	RM8	RM16	40/小箱3 20/大箱
GC-79M Micro	灰色 绿色			1.精选软胶材质, 高弹性; 2.年轻色系, 搭配更时尚;	RM4	RM8	40/小箱3 20/大箱
GC-79i iPhone					RM5	RM10	
GC-79T Type-C					RM5	RM10	
GC-77 TYPE-C	白色			适用于华为超级快充, OPPO闪充, VIVO 小米等主流手机快充机型	RM4	RM8	40/小箱3 20/大箱

GC-76M Micro	金色			快充闪充。强韧尼龙编织，优质合金线。	RM2	RM5	60/小箱 480/大箱
GC-76i iPhone					RM3	RM7	
GC-76T Type-C					RM3	RM7	
GC-75M Micro	白色			2A极具性价比数据线， PVC加固接头，环保耐磨不易断。	RM1	RM3	60/小箱 480/大箱
GC-75i iPhone					RM2	RM5	
GC-75T Type-C					RM2	RM5	
GC-71M Micro	黑色/藏青色			1.铝合金一体成型编织线。 2.加强尼龙编织线材，强韧耐用。 3.高纯度无氧铜线芯，传导性更佳，3A大电流极速充电。	RM5	RM9	40/小箱3 20/大箱
GC-71i iPhone					RM6	RM11	
GC-71T Type-C					RM6	RM11	
GC-27M Micro (1M)	白蓝粉黄			线长1米，数据传输，充电	RM1	RM3	60/小箱4 80/大箱
GC-27i iPhone (1M)					RM3	RM6	
GC-27T Type-C (1M)					RM4	RM7	
GC-27M Micro (1.5M)	白			线长1.5米，数据传输，充电	RM2	RM4	60/小箱4 80/大箱
GC-27i iPhone (1.5M)					RM4	RM8	
GC-27T Type-C (1.5M)					RM4	RM8	
GC-27M Micro (2M)	白			线长2米，数据传输，充电	RM3	RM5	60/小箱4 80/大箱
GC-27i iPhone (2M)					RM5	RM9	
GC-27T Type-C (2M)					RM5	RM9	
GC-65 3 in 1	黑/白			1.micro/lightning/type-c 三合一，同时满足三台设备充电； 2.鱼尾纹设计，保护线身抗弯折，加粗铜丝，满足手机快速充电需求	RM7	RM14	40/小箱 320/大箱

GC-66M Micro	黑/白			3A快充， 加粗铜丝，支持快速充电	RM3	RM5	40/小箱3 20/大箱
GC-66I iPhone					RM4	RM7	
GC-66T Type-C					RM4	RM7	
GC-63M Micro	黑/白			2A充电满足常规充电速度，精致小巧	RM2	RM3	60/小箱 480/大箱
GC-63I iPhone					RM3	RM5	
GC-63T Type-C					RM3	RM5	
GC-64M Micro	黑/白			3A快充，鱼尾纹设计，保护线身抗弯折，加粗铜丝， 满足手机快速充电需求。	RM2	RM4	60/小箱 480/大箱
GC-64I iPhone					RM3	RM6	
GC-64T Type-C					RM3	RM6	
GC-45M Micro	黑/白/ 红			90度贴心弯头设计，一边游戏一边充电更顺手； 高纯度无氧铜线芯，传导性更佳，2.4A大电流极速充电	RM4	RM8	60/小箱4 80/大箱
GC-45I iPhone					RM5	RM10	
GC-45T Type-C					RM5	RM10	
GC-73M Micro	灰/红			1.铝合金双色扁线，布艺编织线材，强韧不缠头，坚实耐用。 2.使用USB双面插接头，使用更方便贴心	RM7	RM14	40/小箱3 20/大箱
GC-73I iPhone					RM8	RM16	
GC-73T Type-C					RM8	RM16	
GC-74M Micro	灰/红			1.3A双色线身数据线.加长接头全覆盖不开裂，不惧弯折，不易断线。 2.布艺编织线身耐磨抗拉，	RM6	RM12	40/小箱3 20/大箱
GC-74I iPhone					RM7	RM14	
GC-74T Type-C					RM7	RM14	

GOLF高尔夫品牌定制数据线 (以下为起订量为单款单色2K)

GC-72M Micro	黑色			1、伸缩弹簧线，车内使用不占空间； 2、加长1.5米，长度更合适你； 3、加强尼龙编织线材，强韧耐用； 4、高纯度无氧铜线芯，传导性更佳，3A大电流极速充电。	RM7	RM14	35/小箱280/大箱
GC-72I iPhone					RM8	RM16	
GC-72T Type-C					RM8	RM16	
GC-72X	黑色			一托三， 三个接头 3种颜色	RM12	RM24	35/小箱280/大箱
GC-70M Micro	黑/白			1、L型90度贴心弯头设计，一边游戏一边充电更顺手； 2、TPE线材，耐弯折长网尾，更柔软耐用； 3、升级版设计，更加精致小巧； 4、高纯度无氧铜线芯，传导性更佳，3A大电流极速充电	RM5	RM9	40/小箱320/大箱
GC-70I iPhone					RM6	RM11	
GC-70T Type-C					RM6	RM11	
GC-69M Micro	黑/白			MICRO接头正反双面使用，3A快充，数据线和支架二合一，追剧神器。TPE材质，不断头，不裂线。	RM6	RM11	40/小箱320/大箱
GC-69I iPhone					RM6	RM12	
GC-69T Type-C					RM6	RM12	
GC-67M Micro	黑/红			铝合金搭配布艺编织， 波浪网尾抗弯折，更耐用； 3A快充，加粗铜丝， 支持快速充电	RM6	RM12	40/小箱320/大箱
GC-67I iPhone					RM7	RM14	
GC-67T Type-C					RM7	RM14	
GC-60M Micro	黑/红			TPE仿皮纹线材，手感细腻，CD纹金属片搭配设计	RM6	RM12	35/小箱280/大箱
GC-60I iPhone					RM7	RM14	
GC-60T Type-C					RM7	RM14	

GC-51	黑			1、苹果, 安卓, TYPE-C三合一, 一线多用; 2、数据传输+充电功能; 3、铝合金工艺, 布艺编织线材, 结实耐用。	RM12	RM24	60/小箱 80/大箱
GC-48M Micro	黑/金/ 红			1、90度贴心弯头设计, 一边游戏一边充电更顺手; 2、使用USB双面插接头, 使用更方便贴心; 3、金属加上布纹搭配, 给你加上档次的体验; 4、高纯度无氧铜线芯, 传导性更佳, 2.4A大电流极速充电	RM8	RM16	40/小箱 20/大箱
GC-48I iPhone					RM9	RM18	
GC-48T Type-C					RM9	RM18	
GC-39	金			苹果, 安卓, TYPE-C 一托三, 可同时为3台设备充电使用, 一线多用; 铝合金工艺, 尼龙编织线材, 结实耐用; 高纯度无氧铜线芯, 充电与数据传导性更佳, 2.1A大电流充电	RM13	RM26	60/小箱 80/大箱
GC-30	白			TPE材质, 回归原始风格; 2.1A充电; 精致工艺、高性价比产品。	RM3	RM6	80/小箱 40/大箱










备注: 以上报价不含税及运费。更新于2022年5月26日

GOLF高尔夫品牌车充/无线充

产品型号	产品图片	包装图片	产品参数		颜色	产品特点	尚礼价格	市场价	装箱规格
GF-C10 数显			输入	DC12-24V	白色	数字显示汽车蓄电池电压, 充电时显示充电电流, 电压与电流交替显示	RM10	RM20	35/小箱 280/大箱
			输出1	2.1A					
			输出2	2.1A					
			总输出	2.1A					
GF-C11			输入	DC12-24V	白色	双USB输出	RM5	RM10	35/小箱 280/大箱
			输出1	2.1A					
			输出2	2.1A					
			总输出	2.1A					
GF-C12			输入	DC12-24V	白色	3USB输出	RM7	RM14	35/小箱 280/大箱
			输出1	2.1A					
			输出2	2.1A					
			输出3	2.1A					
			总输出	2.1A					
GF-C13			输入	DC12-24V	金色	塑胶搭配金属设计, 双USB	RM6	RM11	35/小箱 280/大箱
			输出1	2.1A					
			输出2	2.1A					
			总输出	2.1A					
GF-C14			输入	DC12-24V	黑色	扩展点烟口+双USB输出	RM8	RM16	25/小箱 200/大箱
			输出1	2.1A					
			输出2	2.1A					
			总输出	2.1A					
GF-WQ5 PRO			线圈	单线圈	黑色 白色	1.标准无线充电; 2.超薄尺寸, 多个散热孔, 快速散热; 3.底部硅胶脚垫, 防滑, 充电更稳定; 4.10W快充, 支持苹果7.5W快充。	RM17	RM34	30/小箱 120/大箱
			输入	DC 5V/2A,9V/1.8A					
			输出	DC 5V-9V/1A-1.5A					
			功率	10W					
			净重	58g					
			产品尺寸	92*92*11mm					

备注: 以上报价不含税及运费。更新于2022年5月26日

GOLF高尔夫品牌耳机

产品型号	颜色	产品图片	包装图片	产品参数	产品卖点	尚礼价格	市场价	装箱规格
M25	黑色 白色			频率响应: 20Hz-20KHz 线长: 1200mm 插头: 3.5mm 阻抗: 32Ω±15% 喇叭灵敏度: 100±dB	高保真立体声	RM5	RM10	35/小箱 280/大箱
M26	金色 灰色			频率响应: 20Hz-20KHz 线长: 1200mm 插头: 3.5mm 阻抗: 32Ω±15% 喇叭灵敏度: 100±dB	低频的质感和量感均有所保证, 中高频的声音明亮清晰	RM6	RM12	35/小箱 280/大箱
B18	黑色			运动蓝牙耳机 蓝牙版本: V5.0 待机时间: 720小时 通话时间: 6-7小时 充电时间: 60分钟 信号范围: ≤10米 产品净重: 27g	挂脖式运动蓝牙	RM30	RM60	12/小箱 96/大箱
B15商务蓝牙耳机	黑色 白色			单边蓝牙耳机 蓝牙版本: 5.0 灵敏度: -85dBm 有效距离: <10米 频率响应: 50Hz-20KHz 音乐时间: 3小时 (80%音量) 通话时间: 3小时 (80%音量)	支持连接蓝牙设备播放音乐 支持蓝牙连接高清晰通话 内置中/英文语音提示音 (配对状态双击开机键) 支持iOS系统耳机电量指示 播放休眠来电, 语音报号码 支持同时连接两个设备, 一拖二功能	RM12	RM24	35/小箱 280/大箱
B16商务蓝牙耳机	黑色 白色			单边蓝牙耳机 蓝牙版本: 5.0 灵敏度: -85dBm 有效距离: <10米 频率响应: 50Hz-20KHz 音乐时间: 14小时 (50%音量) 通话时间: 10小时 (50%音量)	超长使用时间 支持连接蓝牙设备播放音乐 支持蓝牙连接高清晰通话 内置中/英文语音提示音 (配对状态双击开机键) 支持iOS系统耳机电量指示 播放休眠来电, 语音报号码 支持同时连接两个设备, 一拖二功能	RM16	RM32	35/小箱 280/大箱

M21 重低音耳 机	黑色 白色			频率响应: 100Hz-20KHz 线长: 1200mm 插头: 3.5mm 阻抗: 32Ω 喇叭灵敏度: 100dB	高保真立体声, 支持免提通话和音乐 播放/暂停, 内置全方位定位降噪麦 克风。	RM6	RM11	35/小箱 280/大 箱
M22 TYPE- C耳机	白色			频率响应: 100Hz-20KHz 线长: 1200mm 插头: 3.5mm 阻抗: 32Ω 喇叭灵敏度: 100dB	高清音质, 极简外观设计, 专业调音 , 还原纯音, 半入耳式, 舒适贴合, 兼容TYPE-C接口音频多数设备。	RM7	RM14	35/小箱 280/大 箱
主推GOL F M16立体 声侧入耳 式耳机	黑色 白色			频率响应: 100Hz-20KHz 线长: 1200mm 插头: 3.5mm 阻抗: 32Ω 喇叭灵敏度: 100dB	音质清晰、入门耳塞代表作, 各种声 音都能表现, 声音流畅, 适合抒情流 行乐。	RM6	RM12	60/小箱 480/大 箱
主推GOL F M17金属 半入耳式 耳机	金色 灰色			频率响应: 100Hz-20KHz 线长: 1200mm 插头: 3.5mm 阻抗: 32Ω 喇叭灵敏度: 100dB	整体的声音表现非常的不错, 低频的 质感和量感均有所保证, 中高频的声 音明亮清晰, 可以很好的满足用户聆 听流行音乐。	RM9	RM18	60/小箱 480/大 箱
主推GOL F M20金属 动听耳机	金色 灰色			频率响应: 100Hz-20KHz 线长: 1200mm 插头: 3.5mm 阻抗: 32Ω 喇叭灵敏度: 100dB	整体的声音表现非常的不错, 低频的 质感和量感均有所保证, 中高频的声 音明亮清晰, 可以很好的满足用户聆 听流行音乐。	RM9	RM18	60/小箱 480/大 箱
主推GOL F M1音悦 立体声耳 机	黑色 白色			频率响应: 20Hz-20KHz 喇叭直径: 13mm 线长: 1200mm 插头: 3.5mm 阻抗: 32Ω 喇叭灵敏度: 102dB MIC灵敏度: -38dB±3dB	拐角式接头设计, 有效避免手机与耳 机连线处线材损坏。声音播放清晰度在 同类耳机中较为清晰, 外观设计通用 , 性价比高, 受众广, 有利于市场推 广	RM6	RM12	60/小箱 480/大 箱
备注: 以上报价不含税及运费。更新于2022年5月26日								

GOLF 高尔夫品牌车载支架

产品型号	颜色	产品图片	包装图片	产品功能	尚礼价格	市场价	装箱规格
GF-CH11	黑色			1、出风口重力支架，一放即合； 2、360度自由旋转圆球关节，全角度任意调节； 3、夹臂防滑硅胶，轻松固定手机。	RM8	RM15	15/小箱 120/大箱
GF-CH01	黑灰 黑绿			1. 小巧易操作，360度旋转方便调整舒适角度； 2. 不遮挡视线，安全驾驶； 3. 轻松固定，安全防滑。	RM6	RM11	40/小箱 20/大箱
GF-CH02	黑色 绿色			1、环保橡胶材质、置于汽车空调出风口使用； 2、强劲磁力，安全不脱落； 3、恒定磁场，不影响手机信号； 4、小巧精致，携带方便。	RM6	RM12	25/小箱 200/大箱
GF-CH04	黑色 白色			特点：360度旋转，吸盘+硅胶超强吸附力， 用途：手机/导航仪表台支架	¥ 8.8	#VALUE!	8/小箱 64/大箱
GF-CH07	黑色			车载挡风玻璃支架 360°旋转，轻松固定，超强吸附	RM11	RM22	55/箱
GF-CH16	黑色			车载挡风玻璃支架 自由旋转，轻松固定，超强吸附	RM16	RM32	12/小箱 96/大箱
GF-CH17	黑色			车载挡风玻璃支架 自由旋转，轻松固定，超强吸附	RM22	RM44	12/小箱 96/大箱

GF-CH18	黑色			车载挡风玻璃支架 自由旋转，轻松固定，超强吸附	RM14	RM28	35/小箱 280/大箱
GF-CH19	黑色			车载挡风玻璃支架 自由旋转，轻松固定，超强吸附	RM10	RM20	15/小箱 120/大箱
GF-CH20	黑色			出风口磁吸支架。 仿碳纤维设计，磁吸牢固不掉落	RM10	RM20	30/小箱 240/大箱
GF-CH21	黑色			出风口磁吸支架。 超强磁吸附，单手操作，简单小巧，携带方便。	RM10	RM20	30/小箱 240/大箱
GF-CH22	黑色			车载出风口架支架 适用于市场所有型号的手机。 背夹稳定	RM8	RM16	20/小箱 160/大箱
GF-CH23	黑色			磁吸猫头汽车支架 1) 产品采用贴式设计，更适合驾驶视角，实用人性化，适合多场景使用。 2) 超强磁吸附，单手操作，简单小巧，携带方便。 3) 磁吸与底座连接位置采用最新功能设计，自由旋转无死角	RM13	RM26	30/小箱 240/大箱
GF-CH24	黑色			MINI磁吸汽车支架 1) 产品采用贴式设计，更适合驾驶视角，实用人性化，适合多场景使用。 2) 超强磁吸附，单手操作，简单小巧，携带方便。 3) 磁吸与底座连接位置采用最新功能设计，自由旋转无死角	RM10	RM20	30/小箱 240/大箱

备注：以上报价不含税及运费。更新于2022年5月26日

GOLF

GOLF SPACE

2023 NEW PRODUCTS

OPEN ▶

PD45W+QC24W

Special For Charging Your Laptop
LCD DIGITAL DISPLAY



P01-10000mAh

Size:48*39.5*89.2mm Weight :219.8g

Battery Type:2pcs 21700 Li-ion Battery
Type-C1 Input/Output:DC5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A
Type-C2 Input/Output:DC5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A
USB Output1,2:DC5V/3A,9V/2.67A,12V/2A
Total Output:45W (Max)

PD100W+QC24W

Special For Charging Your Laptop
LCD DIGITAL DISPLAY



P02-20000mAh

Size:48*39.5*160mm Weight :401.8g

Battery Type:4pcs 21700 Li-ion Battery
Type-C1/2 Input:DC5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A
Type-C1 Output:DC5V/3A,9V/3A,12V/3A,15V/3A,20V/5A
Type-C2 Output:DC5V/3A,9V/3A,12V/3A,15V/3A,20V/3A
USB Output1,2:DC5V/3A,9V/2.67A,12V/2A
Total Output:100W (Max)

PD45W+QC22.5W

Special For Charging Your Laptop
LCD DIGITAL DISPLAY



P22-20000mAh

Size:69.6*30*156.2mm Weight :428.4g

Type-C1 Input/Output:DC5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A
Type-C2 Input/Output:DC5V/3A,9V/3A,12V/3A,15V/3A,20V/2.25A
USB Output1,2:DC4.5V/5A,5V/3A,9V/2A,12V/1.5A
Total Output:45W (Max)

PD65W+QC22.5W

Special For Charging Your Laptop
LCD DIGITAL DISPLAY



P32-30000mAh

Size:70.5*43.2*167mm Weight :640.8g

Type-C1 Input/Output:DC5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
Type-C2 Input/Output:DC5V/3A,9V/3A,12V/3A,15V/3A,20V/3.25A
USB Output1,2:DC4.5V/5A,5V/3A,9V/2A,12V/1.5A
Total Output:65W (Max)

15W MAGNETIC WIRELESS

PD20W+QC22.5W

MOBILE PHONE HOLDER



W31/W32

Wireless Output:15W(Max)
Type-C Input:DC5V/3A,9V/2.23A (20W Max)
Type-C Output:DC5V/3A,9V/2.23A,12V/1.67A (20W Max)

W31PRO/W32PRO

Wireless Output:15W(Max)
Type-C Input:DC5V/3A,9V/2.23A (20W Max)
Type-C Output:DC5V/3A,9V/2.23A,12V/1.67A (20W Max)
USB Output1,2:DC4.5V/5A,5V/3A,9V/2A,12V/1.5A (22.5W Max)

W31/W31PRO-5000mAh

Size:63*21*72*108.1mm
Weight :169.4g

W32/W32PRO-10000mAh

Size:64*29.3*108.9mm
Weight :259g

15W MAGNETIC WIRELESS

PD20W+QC22.5W

LCD DIGITAL DISPLAY

MOBILE PHONE HOLDER



W30LCD-10000mAh

Wireless Output:15W(Max)
Type-C Input:DC5V/3A,9V/2.23A (20W Max)
Lightning Input:DC5V/2A,9V/2A (18W Max)
Type-C Output:DC5V/3A,9V/2.23A,12V/1.67A (20W Max)
USB Output:DC4.5V/5A,5V/3A,9V/2A,12V/1.5A (22.5W Max)
Size:68.8*19.4*106mm Weight :213.2g

15W MAGNETIC WIRELESS

PD20W+QC22.5W

LCD DIGITAL DISPLAY



W33-5000mAh

Size:64*15*98mm

W34-10000mAh

Size:69*19*104mm

W33/W34

Wireless Output:15W(Max)
Type-C Input:DC5V/3A,9V/2A,12V/1.5A
Type-C Output:DC5V/3A,9V/2.22A,12V/1.66A
USB Output:DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
(Total) Output+Type-C+Wireless:22.5W (Max)

15W MAGNETIC WIRELESS

PD20W+QC22.5W

LCD DIGITAL DISPLAY



W24PD-5000mAh

Wireless Output:15W(Max)
Type-C Input:DC5V/3A,9V/2A,12V/1.5A
Lightning Input:DC5V/2A,9V/2.22A,12V/1.66A
USB Output:DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
(Total) Output+Type-C+Wireless:22.5W (Max)
Size:62.5*17*104mm Weight :147.8g

W25PD-10000mAh

Wireless Output:15W(Max)
Type-C Input:DC5V/3A,9V/2A,12V/1.5A
Type-C Output:DC5V/3A,9V/2.22A,12V/1.66A
USB Output:DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
(Total) Output+Type-C+Wireless:22.5W (Max)
Size:67.8*18.5*144mm Weight :239.6g

DUAL TYPE-C POWER BANK

21700 Li-ion Battery
PD20W +QC22.5W

G311/G311PD-5000mAh
Size:39.9*24.8*78.3mm

G312/G312PD-10000mAh
Size:61.2*24.8*78.5mm



G313/G313PD-15000mAh

Size:82.4*24.8*78.8mm

G314/G314PD-20000mAh

Size:103.6*24.8*78.8mm

G311PD/G312PD/G313PD/G314PD

Type-C1/C2 Input:DC 5V/3A,9V/2A,12V/1.5A
Type-C1/C2 Output:DC5V/3A,9V/2.22A,12V/1.66A
USB Output:DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output:22.5W (Max)

G311/G312/G313/G314

Type-C1/C2 Input:DC 5V/2.1A
Type-C1/C2 Output:DC 5V/2.1A
USB Output:DC5V/2A
Total Output:DC5V/2.1A(Max)

PD20W +QC22.5W

21700 Li-ion Battery

LCD DIGITAL DISPLAY



G301/G301PD-5000mAh

Size:38.8*24.8*78.8mm Weight:95g

G302/G302PD-10000mAh

Size:59.3*24.8*78.8mm Weight:172.2g

G301PD/G302PD

Input:DC 5V/3A,9V/2A,12V/1.5A(Micro/Type-C)
Type-C Output:DC5V/3A,9V/2.22A,12V/1.66A
USB Output:DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output:22.5W (Max)

G301/G302

Input:DC 5V/2.1A(Micro/Type-C)
Type-C Output:DC5V/2.1A
USB Output:DC5V/2A
Total Output:DC5V/2.1A(Max)

PD20W+QC22.5W

LCD DIGITAL DISPLAY



G306PD

G305PD

G305PD-1000mAh
Size: 53*25*109mm Weight: 179g

G306PD-1000mAh
Size: 64*25*85mm Weight: 181.8g

G305PD/G306PD
Type-C Input: DC5V/3A,9V/2A,12V/1.5A
Type-C Output: DC5V/3A,9V/2.22A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)

PD20W+QC22.5W

DETACHABLE CABLE
LCD DIGITAL DISPLAY



G305-L PD-1000mAh
Type-C Input: DC5V/3A,9V/2A,12V/1.5A
Type-C Output: DC5V/3A,9V/2.22A,12V/1.66A
Lightning Cable Output: DC5V/2A,9V/2.22A,12V/1.66A
Type-C Cable Output: DC5V/3A,9V/2.22A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)
Size: 53*25*109mm
Weight: 188.8g

G306-L PD-1000mAh
Type-C Input: DC5V/3A,9V/2A,12V/1.5A
Type-C Output: DC5V/3A,9V/2.22A,12V/1.66A
Lightning Cable Output: DC5V/2.1A
Type-C Cable Output: DC5V/3A,9V/2.22A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)
Size: 64*25*85mm
Weight: 185.6g

PD20W+QC22.5W

TRANSPARENT POWER BANK

LCD DIGITAL DISPLAY
BUILT-IN CABLE

G111 PD/G111-L PD-1000mAh
Size: 69*15*146mm

G112 PD/G112-L PD-2000mAh
Size: 69*27*146mm Weight: 398.2g

G111-L PD/G112-L PD
Type-C Input: DC5V/3A,9V/2A,12V/1.5A
Type-C Output: DC5V/3A,9V/2.22A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Lightning Cable Output: DC5V/2.1A
Type-C Cable Output: DC5V/3A,9V/2.22A,12V/1.66A
Total Output: 22.5W (Max)



G111 PD/G112 PD
Type-C Input: DC5V/3A,9V/2A,12V/1.5A
Type-C Output: DC5V/3A,9V/2.22A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)



PD20W+QC18W

P41PD-1000mAh
Size: 69.2*15.6*136.5mm
Weight: 222g



P42PD-2000mAh
Size: 70.1*27.7*137.4mm
Weight: 398.8g

P43PD-3000mAh
Size: 71.1*40.2*139.2mm

P41PD/P42PD/P43PD
Type-C Input: DC5V/2.8A,9V/2A,12V/1.5A
Type-C Output: DC5V/2.4A,9V/2.22A,12V/1.67A
Type-C Cable Output: DC5V/3A,9V/2A,12V/1.5A
Total Output: 20W (Max)

PD20W+QC22.5W

TRANSPARENT POWER BANK

LCD DIGITAL DISPLAY



P15-1000mAh
Size: 67*16.5*146mm Weight: 238.6g

P16-2000mAh
Size: 67*28.5*146mm Weight: 426.4g

P15/P16
Type-C Input: DC5V/3A,9V/2A,12V/1.5A
Type-C Output: DC5V/3A,9V/2.22A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)

PD20W+QC22.5W

TRANSPARENT POWER BANK

LCD DIGITAL DISPLAY
BUILT-IN CABLE



L115-1000mAh
Size: 67*16.5*146mm Weight: 240.4g

L116-2000mAh
Size: 67*28.5*146mm Weight: 425g

L115/L116
Type-C Input/Output: DC5V/3A,9V/2.22A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Lightning Cable Output: DC5V/3A,9V/2.22A,12V/1.66A
Type-C Cable Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)

PD20W+QC22.5W

TRANSPARENT POWER BANK

LCD DIGITAL DISPLAY
BUILT-IN CABLE



L111-1000mAh
Size: 67.4*17*149.5mm Weight: 227g

L112-2000mAh
Size: 68*29.5*150mm Weight: 413.2g

L113-3000mAh
Size: 68*41.6*150mm Weight: 596.4g

L111/L112/L113
Micro Input: DC5V/2A,9V/2A,12V/1.5A
Type-C Input: DC5V/2.5A,9V/2A,12V/1.5A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Lightning Cable Output: DC5V/2A,9V/2.22A,12V/1.67A
Type-C Cable Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)

PD20W+QC22.5W

LCD DIGITAL DISPLAY



P53-3000mAh
Size: 67.9*40.7*150mm
Weight: 589.2g

P54-4000mAh
Size: 68.1*53.2*150mm
Weight: 773.2g

P55-5000mAh
Size: 68.1*65.2*150mm
Weight: 953.2g

P51-1000mAh
Size: 67.4*16.7*149.4mm Weight: 226g

P52-2000mAh
Size: 67.9*28.5*150mm Weight: 405.4g

P51/P52/P53/P54/P55
Type-C Input: DC5V/3A,9V/2A,12V/1.5A
Type-C Output: DC5V/3A,9V/2.22A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)

PD20W+QC22.5W

TRANSPARENT POWER BANK

LCD DIGITAL DISPLAY
60000mAh
80000mAh



P16LCDPD-60000mAh
Size: 69*88.6*162.6mm

P18LCDPD-80000mAh
Size: 69*112.7*162.6mm

P16LCDPD/P18LCDPD
Type-C1/2 Input: DC5V/3A,9V/2A,12V/1.5A
Type-C1/2 Output: DC5V/3A,9V/2.22A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)

PD20W+QC22.5W

LCD DIGITAL DISPLAY

P11LCD/P11LCDPD-1000mAh
Size: 67.4*16.3*149.4mm Weight: 223.6g

P12LCD/P12LCDPD-2000mAh
Size: 67.9*28.7*150mm Weight: 394.6g



P13LCD/P13LCDPD-3000mAh
Size: 67.9*40.3*150mm Weight: 576.6g

P14LCD/P14LCDPD-4000mAh
Size: 68.1*52.8*150mm Weight: 759g

P15LCD/P15LCDPD-5000mAh
Size: 68.1*64.8*150mm Weight: 939.2g

P11LCD/P12LCD/P13LCD/P14LCD/P15LCD
Type-C Input/Output: DC5V/2.4A
USB Output: DC5V/2.4A
Total Output: DC5V/2.4A

P11LCDPD/P12LCDPD/P13LCDPD/P14LCDPD/P15LCDPD
Type-C Input: DC5V/3A,9V/2A,12V/1.5A
Type-C Output: DC5V/3A,9V/2.22A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)

PD20W+QC22.5W

TRANSPARENT POWER BANK

LCD DIGITAL DISPLAY

P17-10000mAh

Type-C Input: DC5V/3A,9V/2A,12V/1.5A
Type-C Output: DC5V/3A,9V/2.2A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)
Size: 54*36*95.5mm
Weight: 197.8g



P18-20000mAh

Type-C Input: DC5V/3A,9V/2A,12V/1.5A
Type-C Output: DC5V/3A,9V/2.2A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)
Size: 66*32*154mm
Weight: 377.4g



PD20W+QC22.5W

TRANSPARENT POWER BANK

LCD DIGITAL DISPLAY

BUILT-IN CABLE

L117-10000mAh

Size: 54*38*86mm

Weight: 201.2g

L118-20000mAh

Size: 54*60*86mm

Weight: 357.4g



L117/L118

Type-C Input/Output: DC5V/3A,9V/2.2A,12V/1.66A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Lightning Cable Output: DC5V/3A,9V/2.2A,12V/1.66A
Type-C Cable Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)

PD20W+QC18W

4USB OUTPUT

P30/P30PD-30000mAh

Size: 81.6*33*161.2mm Weight: 680g

P40/P40PD-40000mAh

Size: 81.6*43*161.2mm Weight: 883g

P50/P50PD-50000mAh

Size: 81.6*52.6*161.2mm Weight: 1090.6g

P30PD/P40PD/P50PD

Input: DC5V/3A,9V/2A,12V/1.5A(Micro/Type-C)

Type-C Output: DC5V/3A,9V/2.2A,12V/1.66A

USB Output1: DC5V/3A,9V/2A,12V/1.5A

USB Output2/3/4: DC5V/3A (Max)

Total Output: 20W (Max)

P30/P40/P50

Input: DC5V/2.1A(Micro/Type-C)

Type-C Output: DC5V/2.1A (Max)

USB Output1/2/3/4: DC5V/2.1A (Max)

Total Output: DC5V/2.1A (Max)



PD20W+QC22.5W

4USB OUTPUT

P30-LCD-30000mAh

Size: 81.6*33*161.2mm Weight: 680.4g

P40-LCD-40000mAh

Size: 81.6*43*161.2mm Weight: 883g

P50-LCD-50000mAh

Size: 81.6*52.6*161.2mm Weight: 1090.6g

P30-LCD/P40-LCD/P50-LCD

Input: DC5V/3A,9V/2A,12V/1.5A(Micro/Type-C)

Type-C Output: DC5V/3A,9V/2.2A,12V/1.66A

USB Output1: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A

USB Output2/3/4: DC5V/3A (Max)

Total Output: 22.5W (Max)

LCD DIGITAL DISPLAY

P30-LCD/P40-LCD/P50-LCD

Input: DC5V/2.1A(Micro/Type-C)

Type-C Output: DC5V/2.1A (Max)

USB Output1/2/3/4: DC5V/2.1A (Max)

Total Output: DC5V/2.1A (Max)



PD20W+QC18W

P05-5000mAh

Size: 62.6*14.5*97.4mm Weight: 124.2g

P06/P06PD-10000mAh

Size: 62.7*25.9*101.6mm Weight: 226g

P10/P10PD-10000mAh

Size: 67.6*15.5*142.3mm Weight: 223.6g

P05/P06/P10/P20/P03

Input: DC5V/2.1A(Micro/Type-C)

Type-C Output: DC5V/2.1A(Max)

USB Output1: DC5V/1A

USB Output2: DC5V/2.1A(Max)

Total Output: DC5V/2.1A(Max)

P03/P03PD-30000mAh

Size: 68.6*41*145.6mm Weight: 597g

P20/P20PD-20000mAh

Size: 68.2*28*142mm Weight: 405.4g

P06PD/P10PD/P20PD/P03PD

Input: DC5V/3A,9V/2A,12V/1.5A(Micro/Type-C)

Type-C Output: DC5V/3A,9V/2.2A,12V/1.66A

USB Output1/2: DC5V/3A,9V/2A,12V/1.5A

Total Output: 20W(Max)



PD20W+QC22.5W

P06-LCD/P06-LCDPD-10000mAh

Size: 67.7*25.9*101.6mm

Weight: 226g

P10-LCD/P10-LCDPD-10000mAh

Size: 67.6*15.5*142.3mm Weight: 223.6g

P20-LCD/P20-LCDPD-20000mAh

Size: 68.2*28*142mm Weight: 405.4g

P05/P06/P10/P20/P03-LCD

Input: DC5V/2.1A(Micro/Type-C)

Type-C Output: DC5V/2.1A(Max)

USB Output1: DC5V/1A

USB Output2: DC5V/2.1A(Max)

Total Output: DC5V/2.1A(Max)

LCD DIGITAL DISPLAY

P05-LCD-5000mAh

Size: 62.6*14.5*97.4mm

Weight: 124.2g



FABRIC-TEXTURE

G61-5000mAh

Size: 63*12.7*90.7mm Weight: 101g

G62-10000mAh

Size: 63*22.5*90.6mm Weight: 176g

G63-20000mAh

Size: 69*27.5*124.3mm Weight: 365g

G61/G62/G63

Type-C Input/Output: DC 5V/2.1A(Max)

USB Output 1: DC 5V/1A

USB Output 2: DC 5V/2.1A(Max)

Total Output: DC 5V/2.1A(Max)



MINI CANDY POWER BANK

G95/G95-C-5000mAh

Size: 63.5*14.5*95.5mm

Weight: 120g

G96/G96-C-10000mAh

Size: 63.5*26*95.5mm

Weight: 214.6g

G96-C/G95-C

Input: DC5V/2.1A(Micro/Type-C)

Type-C Output: DC5V/2.1A(Max)

USB Output1: DC5V/1A

USB Output2: DC5V/2.1A(Max)

Total Output: DC5V/2.1A(Max)



G96/G95

Micro Input: DC5V/2.1A(Max)

USB Output1: DC5V/1A

USB Output2: DC5V/2.1A(Max)

Total Output: DC5V/2.1A(Max)

PD20W+QC22.5W

G92PD/G92-10000mAh

Size: 68*17*149mm

Weight: 229.4g

G93PD/G93-20000mAh

Size: 68*29.5*151mm

Weight: 400.2g

G92PD/G93PD

Input: DC5V/3A,9V/2A,12V/1.5A(Micro/Type-C)

Type-C Output: DC5V/3A,9V/2.2A,12V/1.66A

USB Output1/2: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A

Total Output: 22.5W (Max)



CANDY

G80-10000mAh

Size: 68*16*135mm

Weight: 218g

G81-20000mAh

Size: 68*28*136.5mm

Weight: 400.6g



G80/G81

Micro Input: DC 5V/2.1A(Max)

USB Output 1: DC 5V/1A

USB Output 2: DC 5V/2.1A(Max)

Total Output: DC 5V/2.1A(Max)

G92/G93

Input: DC5V/2.1A(Micro/Type-C)

Type-C Output: DC5V/2.1A

USB Output1: DC5V/1A

USB Output2: DC5V/2.1A

Total Output: DC5V/2.1A(Max)

PD20W+QC22.5W

LCD DIGITAL DISPLAY

L106/L106PD/L106-LCD
L106-LCDPD-10000mAh
Size:67*20*145mm Weight:228.6g



L206/L206PD/L206-LCD
L206-LCDPD-20000mAh
Size:67*32.4*145mm Weight:406.2g
L106/L206
L106-LCD/L206-LCD
Input:Micro/USB cable: DC5V/2.1A(Max)
Cable Output: (Micro/IPX/Type-C): DC5V/2.1A
USB Output:DC5V/2.1A
Total Output: DC5V/2.1A(Max)

L106PD/L206PD
L106-LCDPD/L206-LCDPD
Input(USB cable): DC5V/2.1A(Max)
Cable Output(Micro/IPX/Type-C): DC5V/2.1A
USB Output: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Type-C Output:DC5V/3A,9V/2A,12V/1.66A
Type-C Input:DC5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W(Max)

BUILT-IN CABLE



G72-5000mAh
Size: 65*14*94mm Weight: 107.6g

G73-10000mAh
Size: 65.5*23.6*94mm Weight: 184g

G74-10000mAh
Size: 64*23.5*105.5mm Weight: 201.2g

G72/G73/G74
Input: DC5V/2.1A(Max)
Cable Output: DC5V/2.1A
USB Output: DC5V/2.1A
Total Output: DC5V/2.1A(Max)

PD20W+QC18W

DETACHABLE CABLE

L107/L107PD-10000mAh
Size: 67.5*20.5*143.3mm
Weight: 238.4g

L207/L207PD-20000mAh
Size: 68*33.1*143.2mm
Weight: 424.2g



L107/L207
Input: DC5V/2.1A(Micro/Type-C)
Type-C Output: DC5V/2.1A(Max)
USB Output1: DC5V/1A
USB Output2: DC5V/2.1A(Max)
Total Output: DC5V/2.1A(Max)

L107PD/L207PD
Input: DC5V/3A,9V/2A,12V/1.5A(Micro/Type-C)
Type-C Output: DC5V/3A,9V/2A,12V/1.66A
USB Output1: DC5V/3A,9V/2A,12V/1.5A
Total Output: 20W(Max)

PD20W+QC22.5W

DETACHABLE CABLE

LCD DIGITAL DISPLAY

L107-LCD/L207-LCD
Size: 67.5*20.5*143.3mm
Weight: 238.4g

L207-LCDPD-20000mAh
Size: 68*33.1*143.2mm
Weight: 424.2g



L107-LCD/L207-LCD
Input: DC5V/2.1A(Micro/Type-C)
Type-C Output: DC5V/2.1A(Max)
USB Output1: DC5V/1A
USB Output2: DC5V/2.1A(Max)
Total Output: DC5V/2.1A(Max)

L107-LCDPD/L207-LCDPD
Input: DC5V/3A,9V/2A,12V/1.5A(Micro/Type-C)
Type-C Output: DC5V/3A,9V/2A,12V/1.66A
USB Output1: DC5V/3A,9V/2A,12V/1.5A
USB Output2: DC5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W(Max)

SMART MINI



G78-5000mAh
Size: 51*13*119.6mm
Weight: 110g

G79-10000mAh
Size: 51*23*120mm
Weight: 196.8g

G78/G79
Micro Input: DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A(Max)
Total Output: DC 5V/2.1A(Max)

MINI PUDDING TYPE-C



G76-C/G76-5000mAh
Size:50.5*13*118mm Weight: 108.6g

G77-C/G77-10000mAh
Size:50.6*23*118mm Weight:188.8g

G76-C/G77-C
Input: DC5V/2.1A(Micro/Type-C)
Type-C Output: DC 5V/2.1A
USB Output: DC 5V/2.1A
Total Output(USB+Type-C): DC 5V/2.1A

G76/G77
Micro Input: DC 5V/2.1A(Max)
USB Output 1: DC 5V/1A
USB Output 2: DC 5V/2.1A
Total Output: DC 5V/2.1A(Max)

PD20W+QC22.5W

LCD DIGITAL DISPLAY



P328SPD/P328S-10000mAh
Size: 67*15*141.5mm Weight: 217g

P331SPD/P331S-20000mAh
Size: 67*27.5*143mm Weight: 403.4g

P328S/P331S
Input: DC5V/2.1A(Micro/Type-C)
Type-C Output: DC5V/2.1A
USB Output1: DC5V/1A
USB Output2: DC5V/2.1A
Total Output: DC5V/2.1A(Max)

P328SPD/P331SPD
Input: DC5V/3A,9V/2A,12V/1.5A(Micro/Type-C)
Type-C Output: DC5V/3A,9V/2A,12V/1.66A
USB Output1: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
USB Output2: DC5V/2.1A(Max)
Total Output: 22.5W (Max)

LCD22/LCD22PD-20000mAh

Size: 69*27.5*149mm
Weight: 418.2g

LCD21/LCD21PD-10000mAh
Size: 70*15.7*139mm
Weight: 210.2g

LCD20-5000mAh
Size: 65*13.5*101mm
Weight: 126.6g

LCD20/LCD21/LCD22
Micro Input: DC 5V/2.1A(Max)
Type-C Input/Output: DC 5V/2.1A(Max)
USB Input1: DC 5V/1A(Max)
USB Output2: DC 5V/2.1A(Max)
Total Output: DV 5V/2.1A(Max)

PD20W+QC22.5W
LCD DIGITAL DISPLAY



LCD21PD/LCD22PD
Input: DC5V/3A,9V/2A,12V/1.5A(Micro/Type-C)
Type-C Output: DC5V/3A,9V/2A,12V/1.66A
USB Output1: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)

PD20W+QC22.5W



G88/G88PD
DUAL USB-10000mAh
Size: 69*16.5*135.5mm Weight: 220g

G89/G89PD
DUAL USB-20000mAh
Size: 69*27.5*140.5mm Weight: 401.8g

G88/G89 DUAL USB
Input: DC5V/2.1A(Micro/Type-C)
Type-C Output: DC5V/2.1A
USB Output1: DC5V/1A
USB Output2: DC5V/2.1A
Total Output: DC5V/2.1A(Max)

G88PD/G89PD DUAL USB
Input: DC 5V/3A,9V/2A,12V/1.5A(Micro/Type-C)
Type-C Output: DC5V/3A,9V/2A,12V/1.66A
USB Output1: DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
Total Output: 22.5W (Max)

FABRIC



G82-10000mAh
Micro Input: DC 5V/2.1A(Max)
Type-C Input/Output: DC 5V/2.1A(Max)
USB Output 1: DC 5V/2.1A
USB Output 2: DC 5V/1A
Size: 94.5*84.5*28.4mm
Weight: 188g

LED

D100-10000mAh

Input: DC 5V/2.1A(Micro/Type-C)
 Type-C Output: DC 5V/2.1A(Max)
 USB Output 1: DC 5V/1A
 USB Output 2: DC 5V/2.1A
 Total Output: DC 5V/2.1A(Max)
 Size: 90*25.5*90mm
 Weight: 215.6g



BUILT-IN CABLE


EMERGENCY POWER BANK



G99-5000mAh

Type-C Input: DC5V/2A
 Type-C Output: DC5V/2.1A
 Type-C to C Output: DC5V/2.1A
 Lightning Output:DC5V/2.1A
 Size: 79*46*27mm
 Weight: 94.4g

LCD POWER BANK WITH HOLDER



G85 LCD-10000mAh

Input: DC 5V/2.1A(Micro/Type-C)
 USB Output 1: DC 5V/1A
 USB Output 2: DC 5V/2.1A(Max)
 Total Output: DC 5V/2.1A(Max)
 Size:63*26*98mm
 Weight:219.2g

15W WIRELESS PD20W+QC22.5W

LCD DIGITAL DISPLAY DETACHABLE CABLE

W27-10000mAh
 Size: 67.5*20.5*143.3mm
 Weight: 252.4g

W28-20000mAh
 Size: 68*33.1*143.2mm
 Weight: 436.6g



W27/W28

Wireless Output: 15W
 Input:DC5V/3A,9V/2A,12V/1.5A(Micro/Type-C)
 Type-C Output:DC5V/3A,9V/2.2A,12V/1.66A
 USB Output:1.2/DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
 Total Output:22.5W(Max)

3 IN 1 WIRELESS CHARGER



WQ16

Rated Input Voltage: 5V/9V/12V
 Magnetic Watch Charge: 2.5W
 TWS Charging Case Charge: 5W
 Magnetic Mobile Phone Charge: 15W
 Function: 3 Positions Adjustable Night Light
 Product Input Interface: TYPE-C 2.0 Female Seat
 Input Support Protocol: PD3.0/PD2.0/QC3.0/QC2.0
 Size: 175*85.5*112mm
 Weight: 275g

15W WIRELESS PD20W+QC22.5W



W21-10000mAh

Size: 68*17*149mm
 Weight: 236.2g

W22-20000mAh

Size: 68*29.5*151mm
 Weight: 414.6g

W21/W22

Wireless Output: 15W
 Input:DC5V/3A,9V/2A,12V/1.5A(Micro/Type-C)
 Type-C Output :DC5V/3A,9V/2.2A,12V/1.66A
 USB Output:1.2/DC4.5V/5A,5V/4.5A,5V/3A,9V/2A,12V/1.5A
 Total Output: 22.5W (Max)

15W MAGNETIC WIRELESS CHARGE CAR HOLDER



WQ18

Wireless Output:15W(Max)
 Input: DC5V/3A, 9V/2A
 Cable Length: 75cm(Max)
 Size: 91.6*59.6*75mm

QI WIRELESS CHARGER



WQ5 5W

Input: DC 5V/2A (Max)
 Output: DC 5V/1A (5W) Max
 Size: 92*92*11.1mm Weight: 51.2g

WQ5 PRO 10W

Input: DC 5V/2.1A/9V/1.8A (Max)
 Output: DC 5V-9V/1.5A (10W) Max
 Size: 92*92*11.1mm Weight: 51.2g

WQ5 Max 15W

Input: DC 9V-2A
 Output: DC 9V-1.5A (15W) Max
 Size: 92*92*11.1mm Weight: 51.2g

WQ5 QI CERTIFIED 5W

Input: DC 5V/1.5A(Max)
 Output: DC 5V/1A (5W) Max
 Size: 92*92*11.1mm Weight: 51.2g

TRAVEL CHARGER

Support for EU/US/CN/AU/UK PLUG



20W PD+QC

GF-U24 Pro

Input: AC100-240V, 50/60Hz, 0.5A
 USB Output: DC5V/3A, 9V/2A, 12V/1.5A (18W Max)
 Type-C Output: DC5V/3A, 9V/2.2A, 12V/1.67A (20W Max)
 Type-C + USB Output: DC5V/3A (15W)

PD20W

GF-U24

Input: AC100-240V, 50/60Hz, 0.5A
 Type-C Output: DC5V/3A, 9V/2.2A, 12V/1.67A (20W Max)

GaN TRAVEL CHARGER

Support for EU/US/CN/AU/UK PLUG



GF-U25

Input: AC100-240V, 50/60Hz, 0.8A Max
 USB Output: DC5V/3A, 9V/2A, 12V/1.5A (18W)
 Type-C Output: DC5V/3A, 9V/3A, 12V/2.75A, 15V/2.2A, 20V/1.65A (33W Max)
 Type-C + USB Output: DC5V/3A (15W)

GaN TRAVEL CHARGER

33W PD+QC

Support for EU/US/CN/UK/AU PLUG



GF-U26

Input: AC100-240V, 50/60Hz, 0.8A Max
USB Output: DC5V/3A, 9V/2A, 12V/1.5A (1.89W)
Type-C Output: DC5V/3A, 9V/3A, 12V/2.2A, 15V/2.2A, 20V/1.65A (33W Max)
Type-C + USB Output: DC5V/3A (1.5W)

TRAVEL CHARGER

30W PD+QC

Support for EU/US/CN/UK PLUG



GF-U27

Input: AC 100-240V, 50-60Hz, 0.8A Max
USB Output: DC5V/3A, 9V/2A, 12V/1.5A (1.89W)
Type-C Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (30W Max)
Type-C + USB Output: DC5V/3A (1.5W)

GaN TRAVEL CHARGER

65W PD+QC

Support for EU/US/CN/UK/AU PLUG



GF-U28

Input: AC100-240V, 50/60Hz, 1.5A Max
USB Output: DC5V/3A, 9V/2A, 12V/1.5A (1.89W Max)
Type-C1 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
Type-C2 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
Type-C1 + USB Output: 45W+1.8W
Type-C2 + USB Output: 45W+1.8W

65W PD+QC

GaN TRAVEL CHARGER

AC charging cables with different specifications for selection

Support for EU/US/CN/UK PLUG



GF-U29

Input: AC100-240V, 50/60Hz, 1.5A Max
USB Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3A (60W Max)
Type-C1 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
Type-C2 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A (65W Max)
Type-C1 + USB Output: 45W+1.8W
Type-C2 + USB Output: 45W+1.8W
Type-C1 + (Type-C2 + USB) Output: 45W+1.5W

PD 35W GaN TRAVEL CHARGER

Support for EU/US/CN/UK PLUG



GF-U35

Input: AC100-240V, 50/60Hz, 1A Max
Type-C Output: DC5V/3A, 9V/3A, 15V/2.33A, 20V/1.75A (35W Max)
Type-C + Type-C Output: DC5V/3A, 9V/1.94A, 15V/1.16A, 20V/0.87A

100W PD+QC GaN TRAVEL CHARGER

Support for EU/US/CN/UK/AU PLUG

PPS: 3.3-21V/3A 65W Max
PPS: 3.3-11V/2.1A 15W Max
PPS: 3.3-11V/2.75A 30W Max
PPS: 3.3-5.9V/3A, 3.3-11V/2.2A 22.5W Max
Charging Protocol: PD2.0, PD3.0, QC2.0, QC3.0, QC4.0, QC4+FCP, AFC, BC1.2, ...

When 2 ports works at the same time:
1. Type-C1: 65W Type-C2: 30W
2. Type-C1: 65W Type-C3: PD22.5W
3. Type-C2: 65W Type-C3: PD22.5W
4. Type-C1: 65W USB: SCP 22.5W
5. Type-C2: 65W USB: 22.5W
6. Type-C3: 10.5W USB: 10.5W

When 3 ports works at the same time:
1. Type-C1: 45W Type-C2: 30W Type-C3: 22.5W
2. Type-C1: 45W Type-C2: 30W USB: 22.5W
3. Type-C1: 65W Type-C3: 10.5W USB: 10.5W
4. Type-C2: 65W Type-C3: 10.5W USB: 10.5W

When 4 ports works at the same time:
Type-C1: 45W Type-C2: 30W
Type-C3: 10.5W USB: 10.5W



GF-U100

Input: AC100-240V, 50/60Hz, 2.3A Max
Type-C1/C2 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)
Type-C3 Output: DC5V/3A, 9V/2.5A, 12V/1.88A (22.5W Max)
USB Output: DC4.5V/5A, 5V/4.5A, 5V/3A, 9V/2A, 12V/1.5A (22.5W Max)
Single port works individually:
Type-C1: 100W Type-C2: 100W
Type-C3: 22.5W USB: SCP 22.5W

GaN TRAVEL CHARGER

Support for EU/US/CN/UK PLUG



30W PD+QC

GF-U30

Input: AC100-240V, 50/60Hz, 1.2A Max
Type-C Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
USB Output: DC5V/3A, 9V/2A, 12V/1.5A
Type-C + USB Output: DC5V/1.5A, 9V/1.5A

PD30W

GF-U31

Input: AC100-240V, 50/60Hz, 1.2A Max
Type-C Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A

GaN TRAVEL CHARGER

Support for EU/US/CN/UK PLUG



GF-U65

Input: AC100-240V, 50/60Hz, 1.5A Max
Type-C1 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
Type-C2 Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
USB Output: DC5V/3A, 9V/3A, 12V/2.5A, 20V/1.5A
Type-C1 + Type-C2 Output: 45W+20W
Type-C1 + USB Output: 45W+1.8W
Type-C2 + USB Output: 15W
Type-C1 + Type-C2 + USB Output: 45W+1.5W

QUICK CHARGER

Support for EU/US/CN/UK PLUG

USB Support Agreement: Apple 2.4A, BC1.2, QC2.0, QC3.0, FCP, AFC, SCP, Low Voltage Direct Charge
Type-C Support Agreement: Type-C, PD2, PD3, PPS, QC4
Product Size: 42.5*27.5*42.2mm

20W PD+QC

GF-U15

Input: AC 100-240V 50-60Hz 0.5A
USB Output: DC5V/3A, 9V/2A, 12V/1.5A
Type-C Output: DC5V/3A, 9V/2.2A, 12V/1.66A

PD20W

GF-U16

Input: AC 100-240V 50-60Hz 0.5A
Type-C Output: DC5V/3A, 9V/2.2A, 12V/1.66A

30W PD+QC

GF-U33

Input: AC220V, 50/60Hz, 1A
USB Output: DC5V/3A, 9V/3A, 12V/1.5A
Type-C Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
Type-C + USB Output: DC5V/3A (Max)

PD30W

GF-U32

Input: AC220V, 50/60Hz, 1A
Type-C Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A

USB CHARGER

Support for EU/US/CN/UK/IN PLUG

TYPE-C CHARGER

GF-U206C

Input: AC 100-240V 50/60Hz Max 0.5A
Type-C Output: DC 9V/2.1A
USB Output: DC 9V/2.1A
Total Output: DC 9V/2.1A

GF-U206

Input: AC 100-240V 50/60Hz Max 0.5A
Output: DC 9V/1A
Output: DC 9V/2.1A
Total Output: DC 9V/2.1A

QC 18W

GF-U206Q

Input: AC 100-240V 50/60Hz Max 0.5A
Output: QC: 3.6-6.9V/3A, 6.5-9V/2A, 9-12V/1.5A

GF-U206S

Input: AC 100-240V 50/60Hz Max 0.5A
Output: DC 9V/2.1A

GF-U206C

GF-U206S

GF-U206Q

GF-U206 PRO

GF-U206



QC 22.5W

GF-U206 PRO

Input: AC110-240V, 50/60Hz, 600mA Max
Output: DC4.5V/5A, 5V/4.5A, 5V/3A, 9V/2A, 12V/1.5A
Output(Total): 22.5W Max

PD 45W ZINC ALLOY CAR CHARGER

GF-C21

Input: DC12/24V Power: 45W Material: Zinc Alloy
 Type-C Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.5A (PD 45W)
 USB Output: DC5V/4.5A, 9V/3A, 12V/3A, 20V/2.25A
 Type-C + USB Output: DC5V/2.4A*2(Max4.8A)



36W ALUMINUM ALLOY CAR CHARGER

GF-C22

Ring LED Light Indicator: Yes
 Material: Aluminum Alloy
 Input: DC12/24V Power: 36W
 USB Output1/2: DC3.6V-6.5V/3A, 9V/2A, 12V/1.5A



100W CAR CHARGER

GF-C17

Ring LED Light Indicator: Yes
 Input: DC12/24V Power: 100W(Max) Material: Aluminum Alloy + ABS
 Type-C Output: DC5V/5A, 9V/5A, 12V/5A, 15V/5A, 20V/5A (PD 100W)
 PPS: DC3.3V-15V/3A, 3.3V-16V/5A
 USB Output: DC5V/4.5A, 9V/3A, 12V/1.5A (QC3.0 22.5W)
 Type-C + USB Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/2.25A (Type-C)
 5V/4.5A, 9V/2A, 12V/1.5A (USB)



56W CAR CHARGER

GF-C20

Ring LED Light Indicator: Yes
 Input: DC12/24V Power: 56W
 Type-C Output: DC5V/3A, 9V/2.2A, 12V/1.67A (PD 20W)
 PPS: DC3.3V-5.9V/3A, 3.3V-11V/1.8A
 USB Output1/2: DC5V/3A, 9V/2A, 12V/1.5A (QC3.0 18W)
 Material: Aluminum Alloy + ABS



78W LCD DIGITAL DISPLAY CAR CHARGER OF THE BACK AND FRONT SEAT

GF-C19

Front Row
 Input: DC12/24V
 Type-C Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
 USB Output: DC5V/4.5A, 9V/3A, 12V/2.5A, 20V/1.5A
 Type-C + USB Output: DC5V/4.0A (Max)
 Back Row
 Type-C Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A
 USB1 Output: DC5V/4.5A, 9V/3A, 12V/2.5A, 20V/1.5A
 USB2 Output: DC5V/3A, 9V/2A, 12V/1.5A
 Type-C + USB1 Output: DC5V/4.0A (Max)
 Material: PC + ABS
 Length Of Cable: 1.5m



MINI CAR CHARGER



GF-C7 PD+QC

Input: DC12/24V
 Type-C Output: PD 5V/3A, 9V/2A, 12V/1.5A
 USB Output: DC 3.6V-6.5V/3A, 6.5V-9V/2A, 9-12V/1.5A
 Total Output: 1.8W

GF-C6 DUAL USB

Input: DC12/24V
 Output1/2: DC 5V/2.4A
 Output(Total): DC 3V/3.4A(Max)

GF-C5

Input: DC12/24V
 Output: DC 5V/1A(Max)

100W LCD DIGITAL DISPLAY CAR CHARGER

GF-C15

Ring LED Light Indicator: Yes
 Input: DC12/24V Power: 100W
 Type-C Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A
 USB Output: DC5V/3A, 9V/2A, 12V/1.5A
 Type-C + USB Output: DC5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/3.25A
 Material: Aluminum Alloy



PD 30W CLAMSHELL CAR CHARGER

GF-C16

Led Voltmeter Real-time Monitor
 Input: DC12/24V Power: 30W
 Type-C Output: DC5V/3A, 9V/3A, 12V/2.5A, 15V/2A, 20V/1.5A (PD 30W)
 USB Output: DC5V/4.5A, 9V/3A, 12V/2.5A
 Type-C + USB Output: DC5V/2.4A*2(Max4.8A)
 Material: Zinc Alloy



60W CAR CHARGER OF THE BACK AND FRONT SEAT

GF-C18

Material: PC + ABS
 Length Of Cable: 1.5m
 Input: DC12/24V
 Front/Back Output1: DC5V/2.4A
 Front/Back Output2: DC3.6V-6.5V/3A, 9V/2A, 12V/1.5A



GF-C1

Input: DC12/24V
 Output: DC 5V/1A
 One USB port

GF-C2

Input: DC12/24V
 Output1: DC 5V/2.1A
 Output2: DC 5V/2.1A
 Total output: 2.1A
 Two USB ports

GF-CQ2

Input: DC12/24V
 Output: DC 3.6V-6.5V/3A, 6.5V-9V/2A, 9V-12V/1.5A

GF-CQ1(QC18W)

Input: DC12/24V
 Output: DC 3.6V-6.5V/3A, 6.5V-9V/2A, 9V-12V/1.5A

GF-CQ2(PD18W+QC18W)

Input: DC12/24V
 Type-C Output: PD 5V/3A, 9V/2A, 12V/1.5A
 USB Output: DC 3.6V-6.5V/3A, 6.5V-9V/2A, 9V-12V/1.5A
 Total Output: 1.8W

RAINBOW BRAIDED CABLE



2.4A

GC-102

Material: Nylon Braided
 Color: Blue/Grey/Purple
 Support: iPX/Micro/Type-C
 Length: 1m 2.4A Fast Charging

RAINBOW BRAIDED FAST CHARGING CABLE

GC-102P Type-C to Lightning
 20W PD Quick Charge Cable
 Material: Nylon Braided
 Color: Blue/Grey/Purple
 Length: 1m

GC-102C Type-C to Type-C
 65W Fast Charging
 Material: Nylon Braided
 Color: Blue/Grey/Purple
 Length: 1m

GC-102X Type-C to Type-C
 100W Fast Charging
 Material: Nylon Braided
 Color: Blue/Grey/Purple
 Length: 1m

20W



65W



100W



TRANSPARENT LED BRAIDED

GC-101
Support: IPX/Type-C
Material: Nylon Braided
Data Transmission
2.4A Fast Charging
Length:1m

GC-101P Type-C to Lightning
27W PD Quick Charge Cable
Material: Nylon Braided
Length:1m

GC-101C Type-C to Type-C
60W Fast Charging
Material: Nylon Braided
Length:1m



ALUMINUM ALLOY THICKER CABLE OD 5.5

2.4A

GC-100
Material: TPE OD: 5.5MM
Support: IPX/Micro/Type-C
Color:Black/White/Blue/Green
Length:1m 2.4A Fast Charging



3 IN 1 STRETCHABLE CABLE

GC-99
Material:TPE
Length:1.1m
Support: ipx/Micro/Type-C
2.1A Fast Charging
Color: Purple/Green/Red/Pink/Yellow/Black

2.1A



TUBE CABLE OD 6.0

2.4A

GC-98
Material: PVC OD: 6.0MM
Support: IPX/Micro/Type-C
Color:White Length:1m
2.4A Fast Charging



TOOTHED FLAT CABLE



2.4A

GC-97
Material:TPE Length:1m
Color:Lake Blue/Rhine Green/
Thin Azurite/Mica Pink
Support: IPX/Micro/Type-C
2.4A Fast Charging

ALLOY NOODLE CABLE

2.4A

GC-96
Material:Aluminum Alloy+TPE
Length:1m Color:Black/Sierra Blue
Support: IPX/Micro/Type-C
2.4A Fast Charging




MULTIFUNCTION CABLE 4 IN 1 CABLE

65W

GC-95P
Support Apple PD 20W Fast Charging
Type-C to Type-C 65W Fast Charging
USB to Type-C 5A Fast Charging
Material:PVC+Nylon Braided
Length:1m Color:Grey
Support: ipx/Type-C

GC-95
Material:PVC+Nylon Braided
Support: IPX+Type-C
Length:1m Color:Grey
2.4A Fast Charging



MULTIFUNCTION 6 IN 1 CABLE

2.4A

GC-94
Material:PVC+Nylon Braided
Length:1.2m Color:Black
Support: ipx/Micro/Type-C
2.4A Fast Charging



2.4A

VERTICAL BRAIDED CABLE

GC-92
Material:PVC+Nylon Braided
Length:1m Color:Black/White
Support: ipx/Micro/Type-C
2.4A Fast Charging

BUTTON BRAIDED CABLE

GC-93
Material:PVC+Nylon Braided
Length:1m Color:Black/White
Support: ipx/Micro/Type-C
2.4A Fast Charging



GC-91P 20W PD QUICK CHARGE

C to Lightning Braided Cable
20W PD Quick Charge Cable
Material:Nylon Braided
Length:1m Color:Sierra Blue
Features: PD Quick Charge/Strong Wire



GC-91C 65W FAST CHARGING

C to C Braided Cable
65W Fast Charging
Material:Nylon Braided
Length:1m Color:Sierra Blue
Output: 65W(Max)



GC-72X
 3IN1 Spring Cable
 Micro+PX+Type-C
 Material:Aluminum Alloy+Nylon Braided
 Length:1.5m Color:Black


2.4A



GC-72
 Spring Cable
 Material:Aluminum Alloy+Nylon Braided
 Length:1.5m Color:Black
 Features: 2.4A Quick Charge/Strong Wire

GC-72P 20W PD QUICK CHARGE

C to Lightning Spring Cable
 PD Quick Charge Spring Cable
 Material:Aluminum Alloy+Nylon Braided
 Length:1.5m Color:Black Current:3A
 Features: PD Quick Charge/Strong Wire



GC-72C
 C to C Spring Cable
 Material:Aluminum Alloy+Nylon Braided
 Length:1.5m Color:Black Current: 3A
 Features: Strong Wire



2.4A

GC-71

Material:Fabric Length:1m
 Support:PX/Micro/Type-C
 Data Transmission, 2.4A Fast Charging



GC-71C

C to C Braided Cable
 Material:Aluminum Alloy+Nylon Braided
 Length:1m Color:Navy Blue Current: 3A
 Features: Strong Wire



GC-71P 20W PD QUICK CHARGE

C to Lightning Braided Cable
 Material:Aluminum Alloy+Nylon Braided
 Length:1m Color:Navy Blue
 Features: PD Quick Charge/Strong Wire



GC-71C

GC-71P

GC-81C 65W PD QUICK CHARGE

65W PD Quick Charge Cable
 Length:1m
 PD Quick Charge/Strong Wire



GC-81P 20W PD QUICK CHARGE

20W PD Quick Charge Cable
 Length:1m
 PD Quick Charge/Strong Wire



DIGITAL DISPLAY

GC-88C USB to Type-C
 5A Fast Charging
 Material:Aluminum Braided
 Length:1m
 Color:Black

GC-88P Type-C to Lightning
 20W PD Quick Charge Cable
 Material:Nylon Braided
 Length:1m
 Color:Black

GC-88X Type-C to Type-C
 100W Fast Charging
 Material:Nylon Braided
 Length:1m
 Color:Black
 Output: 100W(Max)



40W TYPE-C 5A

FULLY COMPATIBLE
 FAST CHARGING CABLE



GC-77

5A Quick Charge
 Material:PVC Length:1m
 Support:Type-C Smart Phones
 Data Transmission, Super Fast Charge



ARMOR

2.4A

GC-66

Material:PVC Length:1m
 Support:ipx/Micro/Type-C
 Data Transmission, 2.4A Fast Charging



ALUMINUM ALLOY BRAIDED 3 IN 1 CABLE

2.4A

GC-84/GC-86

Material:Aluminum Alloy+Nylon Braided
 Length:1.2m Color:Black
 Support:ipx/Micro/Type-C
 2.4A Fast Charging



ALUMINUM ALLOY BRAIDED 3 IN 1 CABLE

ZINC ALLOY BRAIDED 3 IN 1 CABLE

GC-89

Material:Aluminum Alloy+Nylon Braided
 Length:1.2m Color:Black
 Support:ipx/Micro/Type-C
 2.4A Fast Charging

GC-90

Material:Zinc Alloy+Nylon Braided
 Length:1.2m Color:Black
 Support:ipx/Micro/Type-C
 2.4A Fast Charging



2.4A

PVC 3 IN 1 CABLE

GC-85

Material:PVC
 Length:1m Color:White
 Support:ipx/Micro/Type-C
 2.4A Fast Charging

TPE 3 IN 1 CABLE

GC-87

Material:TPE
 Length:1.2m Color:White
 Support:ipx/Micro/Type-C
 2.4A Fast Charging



2.4A

FLYING FISH

2.4A

GC-64

Material:PVC Length:1m
 Support:ipx/Micro/Type-C
 Data Transmission, 2.4A Fast Charging

GC-65

Material:PVC Length:1m
 Support:ipx/Micro/Type-C
 2.4A Fast Charging



2A

GC-63

Material:PVC Length:1m
Support: ipx/Micro/Type-C
Data Transmission, 2.0A Fast Charging



GALLOPING 2.1A


GC-59

Material:TPE Length:1m
Support: ipx/Micro/Type-C
Data Transmission, 2.1A Fast Charging

POWER FAST CABLE

GC-57


Material:PVC Length:1m
Support: ipx/Micro/Type-C
Data Transmission, 2.4A Fast Charging



2.4A

GC-58

Material:PVC Length:1m
Support: ipx/Micro/Type-C
Data Transmission, 2.4A Fast Charging



CD DESIGN 2.4A

GC-60

Material:TPE Length:1m
Support: ipx/Micro/Type-C
Data Transmission, 2.4A Fast Charging

GC-67 WAVE METAL

Material:Fabric Length:1m
Support: ipx/Micro/Type-C
Data Transmission, 2.4A Fast Charging


DOUBLE COLOR 2.4A

GC-74

Material:Fabric Braided Length:1m
Support: ipx/Micro/Type-C
Data Transmission, 2.4A Fast Charging

GC-73

Material:Fabric Braided Length:1m
Support: ipx/Micro/Type-C
Data Transmission, 2.4A Fast Charging



Dotted Zinc Alloy Braided Cable

Shell Zinc Alloy Braided Cable



GC-82/GC-83

2.4A Fast Charging
Data Transmission
Material:Zinc Alloy+Nylon Braided
Length:1m
Color:Gray/Black
OD:3.8mm



LIQUID SILICONE



2.4A

GC-79

Length:1m
Support:IPX/Micro/Type-C
Material:Liquid Silicone
Data Transmission, 2.4A Fast Charging

DIAMOND WIRE SERIES 2.1A

GC-27

Material:PVC Length:1m
Support: ipx/Micro/Type-C
Color:White/Blue/Pink/Yellow
Data Transmission, 2.0A Fast Charging

GC-46


Material:PVC
Length:1M Color:White
Support: ipx/Micro/Type-C
Data Transmission, 2.1A Fast Charging



PHONE-HOLDIN 2.4A

GC-69

Material:TPE Length:1m
Support: ipx/Micro/Type-C
Data Transmission, 2.4A Fast Charging



WING CABLE 2.4A

GC-55


Braided Fabric, With Comfortable Handfeel
Ultra Wear-resistant. Up To 30% Faster Charging
Than Normal Cables.



2.4A KING OF GLORY USB CABLE

GC-45

Durable Connector (90° Right Angle) And Cord.
Ultra Wear-resistant. Up To 30% Faster Charging
Than Normal Cables.



PUDDING FAST CABLE GC-48

Material:Fabric Length:1m
Support: ipx/Micro/Type-C
Data Transmission, 2.4A Fast Charging



GC-70

Material:TPE Length:1m
Support: ipx/Micro/Type-C
Data Transmission, 2.4A Fast Charging

2.4A



GC-68

Material:Fabric Length:1m
Support: ipx/Micro/Type-C
Data Transmission, 2.4A Fast Charging



PORTABLE ENERGY STORAGE

1000W



EP-10002

Material: PC+ABS
AC Output: 230V (1000W Max)
Li Battery Power: 777Wh (216000mAh 3.6V)
DC Input: 5-24V/5A (120W Max)
Type-C1/2 Output Protocol: QC2.0/QC3.0/AFC/FCP/PD2.0/PD3.0/PPS
Type-C1/2 Output: 5V/3A, 9V/3A, 12V/3A, 15V-3A, 20V-5A (100W Max)
USB1/2 Output Protocol: QC2.0/QC3.0/AFC/FCP
USB1/2 Output: 5V/3A, 9V/2A, 12V/1.5A (18W Max)
DC Output: 12V/6A

600W



EP-6002

Material: PC+ABS
AC Output: 220V (600W Max)
Li Battery Power: 432Wh (120000mAh 3.6V)
DC Input: 5-24V/5A (120W Max)
Type-C1/2 Output Protocol: QC2.0/QC3.0/AFC/FCP/PD2.0/PD3.0/PPS
Type-C1/2 Output: 5V/3A, 9V/3A, 12V/2.25A (27W Max)
USB1/2 Output Protocol: QC2.0/QC3.0/AFC/FCP
USB1/2 Output: 5V/3A, 9V/2A, 12V/1.5A (18W Max)
DC Output: 12V/6A

ORAGE POWER SUPPLY



300W



EP-3002

Material: PC+ABS

AC Output: 230V (300W Max)

Li Battery Power: 230Wh (64000mAh 3.6V)

DC Input: 5-24V/5A (120W Max)

Type-C Output Protocol: QC2.0/QC3.0/AFC/FCP/PD2.0/PD3.0/PPS

Type-C Output: 5V/3A, 9V/3A, 12V/3A, 15V/3A, 20V/5A (100W Max)

USB1 Output Protocol: QC2.0/QC3.0/AFC/FCP

USB1 Output: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

USB2/3 Output: 5V/2.1A (10W)

Car Charger Port Output: 12V/6A (72W)

DC1-4 Output: 12V/6A (72W)

200W



EP-2002

Material: PC+ABS

AC Output: 220V (200W Max)

Li Battery Power: 172Wh (48000mAh 3.6V)

DC Input: 5-24V/5A (120W Max)


Type-C1/2 Output Protocol: QC2.0/QC3.0/AFC/FCP/PD2.0/PD3.0/PPS

Type-C1/2 Output: 5V/3A, 9V/3A, 12V/2.25A (27W Max)

USB1/2 Output Protocol: QC2.0/QC3.0/AFC/FCP

USB1/2 Output: 5V/3A, 9V/2A, 12V/1.5A (18W Max)

DC Output: 12V/6A



SHANGLI GIFT CRAFTS (M) SDN BHD
马来西亚尚礼工艺礼品有限公司

<https://apaq.com.my/subsidiary/shangli-gift-craft/>